25X1

Copy # of 5

15 May 1957

MEMORANDUM FOR:

Acting Project Director

SUBJECT:

Ad Hoc Requirements Committee

Requirements for the KLYUCHI Mission

- 1. The requirement here is for area coverage with the best scale photography possible.
- 2. Interest in the KLYUCHI area centers on the identification of possible installations affecting guided missiles either in regard to impact or in regard to launch. The items of interest which are shown on the overlay, it will be noted, are roughly in the shape of a triangle, and it is emphasized that KLYUCHI, the handle whereby we speak of the area, should not be misconstrued as a pinpoint target.
- 3. The triangle as outlined should provide satisfactory coverage on the question of whether this is an impact instrumentation area and what its capabilities or potential appear to be. The cloverleaf some ten miles down the KAMCHATKA River as well as the base line of the triangle is important with regard to the possibility of launch. With regard to the upper legs in the triangle, it may be useful to Operations to know that the paths are plotted to cover points in the terrain which, it is anticipated, will if covered by oblique photography reveal instrumentation required for an ICBM impact or launch area.
- 4. Coverage of PETROPAVLOVSK is desirable but of lower priority than the KLYUCHI area.
- 5. The Ad Hoc Requirements Committee calls attention to the fact that, while proposed collection in the KLYUCHI area

25X1	TOP SECRET Approved For Release 2003/12/23 : CIA-RDP61S00750A000500030115-5		
		- 2 -	
	cance if such information c missions over KAPUSTIN 1 be so unless it is confirmed	cance it will be of much greate an be coordinated with that pro- IAR or the KYZL ORDA area, it that KLYUCHI is a launch are y decrease in importance since pact area.	duced from This will a, in which
5X1A			
,		JAMES Q. REBER Chairman Ad Hoc Requirements Comm	ittee
	Attachment		
25X1	Overlay		
	1-Acting Project Director w/att copy 2 2-Project Director		

3-Director of Operations
w/att copy 1
4-file
5-chrono

w/att copy 3

25X1

25X1